


>> LANCE POINT 16 x 38

Clay Roofing Tiles

IMERYS Toiture



THE NATURAL CHOICE



>> LANCE POINT 16 x 38 Clay Roofing Tiles

The Jacob Lance Point is made at Commenailles in the Jura. Its individual design originally conceived for motifs produces a roofscape of incomparable aesthetics. Much appreciated in the Grand Est and Savoie, this traditional tile is enhanced and complemented by a matching range of clay accessories – ensuring a polished finish. This clay tile, as with all made by Imerys Roof Tiles, bears the hallmark of distinction of a world leader supported by technical excellence at all 13 manufacturing locations.




Ref. 554


Main Characteristics

Flat Interlocking tile. Laid broken bonded	Weight per m ² ≈ from 60 to 64,5 Kg
Length overall ≈ 380 mm	Nominal gauge ≈ 145, 150 or 155 mm
Width overall ≈ 160 mm	Working width ≈ 160 mm
Unit weight ≈ 1,5 Kg	Number per pallet : 720
Coverage per m ² at a gauge of :	
145 mm : 43	
150 mm : 42	
155 mm : 40	


DIMENSIONS



Installation with overhanging verges



Installation using independent verge tiles




COLOUR

Burnt red



To minimise the effect of minor colour variation in the fired product it is advisable to mix tiles from 3 different pallets.

Accessories



- 1 Ventilating tile 16 X 38⁽¹⁾
(opening = 21 cm²) Ref. 508.21
- 2 Pipe collar tile incorporating lantern
Ø 125 (kit)⁽¹⁾ Ref. 508.31
- 3 Right hand tile and a half Lance
Point 16 X 38 Ref. 554.96
- 4 Left hand tile and a half Lance Point
16 X 38 Ref. 554.97
- 5 Left hand independent cloaked
verge tile 16 X 38⁽²⁾ (3,33 per metre)
Ref. 552.44
- 6 Right hand independent cloaked
verge tile 16 X 38⁽²⁾ (3,33 per metre)
Ref. 552.45
- 7 Angular ridge end piece, socketed
Ref. 801
- 8 End piece for half round ridge
and conical ridge (small opening)
Ref. 803
- 9 Short rectangular top tile Lance
Point 16 X 38 Ref. 554.14
- 10 Half round interlocking ridge/hip
(2,5 per metre) Ref. 702
Select clip : F1 - Ref. CRP 702
- 11 Interlocking angular ridge/hip
(3 per metre) Ref. 705 Select clip : F3 -
Ref. CRP 705
- 12 Small half round interlocking
ridge/hip (3 per metre) Ref. 700
Select clip : F6 - Ref. CRP 700/706
- 13 Ornamental hip small model
(2,5 per metre) Ref. 753
- 14 Non-interlocking bootleg hip, large
model (4 per metre) Ref. 754
- 15 Non-interlocking bootleg hip, small
model (4 per metre) Ref. 755
- 16 Half round interlocking hip foot,
large model Ref. 851
- 17 Interlocking Angular hip foot
Ref. 859
- 18 Small half round hip foot Ref. 850
- 19 Ornamental hip foot, small model
Ref. 855
- 20 Non-interlocking bootleg hip foot,
large model Ref. 856
- 21 Non-interlocking bootleg hip foot,
small model Ref. 857
- 22 Large junction⁽³⁾ and finial base :
4 large round openings Ref. 906 SFA
3 large round openings Ref. 908 SFA
- 23 Small junction :
3 small round openings Ref. 902
4 small round openings Ref. 900
3 angular openings Ref. 903
4 angular openings Ref. 901
- 24 Finial base with :
4 large round openings Ref. 931⁽⁴⁾
3 large round openings Ref. 934⁽⁴⁾
3 angular openings Ref. 933
- 25 Finial Ref. 980
- 26 Slender finial Ref. 983
- 27 Pine cone finial Ref. 984
- 28 Short rectangular eave tile Lance
Point 16 X 38 Ref. 508.13
- 29 Glass tile 16 X 38⁽¹⁾ Ref. VERCO 7
- 30 Galvanized frame⁽¹⁾ Internal size
490 X 530 mm Ref. CHG 508

(1) Common accessory for all plain tiles 16 X 38
(2) Common accessory for Alsace Lisse and Lance
Point 16 X 38
(3) For Slender finial (Ref.983) and Pine cone finial
(Ref.984)
(4) For Finial (Ref.980)

All dimensions are in millimetres and are approximate

>> LANCE POINT 16 x 38 Clay Roofing Tiles



Lance Point 16x38 Burnt red



Lance Point 16x38 Burnt red



Lance Point 16x38 Burnt red




We have a long history of developing and perfecting the clay roof tile for an increasingly demanding clientele of users and specifiers.

Today you have at your disposal an extensive and attractive portfolio of Imerys Roof Tiles in a multitude of shapes, sizes and colours.

Our drive for innovation combines with the expertise of our technical teams, the variety of clays at our disposal and the latest technology to bring you consistently excellent quality.

In choosing an Imerys Roof Tile you enjoy the peace of mind and reassurance that can only be gained from nearly 200 years of expertise and experience. The natural choice!



IMERYS Toiture - Service Export - Site industriel de Quincieux

BP 47 - Zone industrielle - F 69650 Quincieux Tél.: (33) 04 72 26 39 68 - Fax: (33) 04 72 26 39 16

export@imerys-toiture